

**IN THE COURT OF COMMON PLEAS OF ALLEGHENY COUNTY,
PENNSYLVANIA**

DANIELLE MENEFEE, individually and as
Administratrix of the Estate of
STEVEN C. MENEFEE a/k/a
STEVEN MENEFEE, DECEASED,

Plaintiff,

v.

NIPPON STEEL NORTH AMERICA, INC.;
MPW INDUSTRIAL SERVICES, INC.;
and VALVES, INC.,

Defendants.

CIVIL DIVISION

No. GD

COMPLAINT IN A CIVIL ACTION

Filed on behalf of Plaintiff
Danielle Menefee, individually and
as Administratrix of the Estate of
Steven C. Menefee a/k/a Steven
Menefee, Deceased

Counsel of Record for
this party:

Bernard R. Rizza, Esquire
bernie@frlawpa.com
Pa. I.D. No. 41006

Craig E. Frischman, Esquire
craig@frlawpa.com
Pa. I.D. No. 46603

FRISCHMAN & RIZZA, P.C.
Firm I.D. No. 376
7300 Penn Avenue
Pittsburgh, Pennsylvania 15208
(412) 247-7300

JURY TRIAL DEMANDED

**IN THE COURT OF COMMON PLEAS OF ALLEGHENY COUNTY,
PENNSYLVANIA**

DANIELLE MENEFEE, individually and as)	
Administratrix of the Estate of)	
STEVEN C. MENEFEE a/k/a)	
STEVEN MENEFEE, DECEASED,)	
)	
Plaintiff,)	
)	
v.)	CIVIL DIVISION
)	
NIPPON STEEL NORTH AMERICA, INC.;)	
MPW INDUSTRIAL SERVICES, INC.;)	
and VALVES, INC.,)	
)	
Defendants.)	

NOTICE OF DEFEND

To: Defendants Nippon Steel North America, Inc.; MPW Industrial Services, Inc.;
and Valves, Inc.

You have been sued in Court. If you wish to defend against the claims set forth in the following pages, you must take action within twenty (20) days after this Complaint and Notice are served, by entering in writing with the Court your defenses or objections to the claims set forth against you. You are warned that if you fail to do so, the case may proceed without you and a judgment may be entered against you by the Court without further notice for any money claimed in the Complaint or for any other claim or relief requested by the Plaintiff. You may lose money or property or other rights important to you.

YOU SHOULD TAKE THIS PAPER TO YOUR LAWYER AT ONCE. IF YOU DO NOT HAVE A LAWYER, TELEPHONE THE OFFICE SET FORTH BELOW TO FIND OUT WHERE YOU CAN GET LEGAL HELP.

IF YOU CANNOT AFFORD A LAWYER, THIS OFFICE MAY BE ABLE TO PROVIDE YOU WITH INFORMATION ON AGENCIES THAT MAY OFFER LEGAL SERVICES TO ELIGIBLE PERSONS AT A REDUCED FEE OR NO FEE.

LAWYER REFERRAL SERVICE
Allegheny County Bar Association
The Koppers Building
Pittsburgh, Pennsylvania 15219
(412) 261-6161

**IN THE COURT OF COMMON PLEAS OF ALLEGHENY COUNTY,
PENNSYLVANIA**

DANIELLE MENEFEE, individually and as)	
Administratrix of the Estate of)	
STEVEN C. MENEFEE a/k/a)	
STEVEN MENEFEE, DECEASED,)	
)	
Plaintiff,)	
)	
v.)	CIVIL DIVISION
)	
NIPPON STEEL NORTH AMERICA, INC.;)	
MPW INDUSTRIAL SERVICES, INC.;)	
and VALVES, INC.,)	
)	
Defendants.)	

COMPLAINT IN A CIVIL ACTION

Plaintiff Danielle Menefee, individually and as Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, by and through her undersigned counsel, hereby files the following Complaint In A Civil Action:

1. Plaintiff, Danielle Menefee, is the Administratrix of the Estate of Steven C. Menefee, Deceased (“Decedent” or “Steven Menefee”), having been so appointed by the Register of Wills for the County of Westmoreland, in the Commonwealth of Pennsylvania, on September 25, 2025. See copy of the Short Certificate attached hereto as Exhibit “A.”
2. Plaintiff brings this action in her capacity as Administratrix on behalf of the Estate pursuant to the Survival Act, 42 Pa. C.S. § 8302, and on behalf of the Decedent’s Wrongful Death Act beneficiaries pursuant to the Wrongful Death Act, 42 Pa. C.S. § 8301.
3. Plaintiff, who is Steven Menefee’s wife, is an adult individual who resides in Westmoreland County, Pennsylvania.

4. In addition to the Plaintiff, Steven Menefee is survived by his two (2) minor children, Eliana Menefee (currently age 12) and Ariella Menefee (currently age 9), who reside with their mother and are also residents of Westmoreland County.

5. Eliana Menefee and Ariella Menefee are Steven Menefee's minor children and are statutory beneficiaries entitled to recover damages in this action pursuant to 42 Pa. C.S. §§ 8301 and 8302 and Pa. R.C.P. No. 2202.

6. This Complaint is filed in accordance with the notice and pleading requirements of Pa. R.C.P. No. 2204.

7. This instant matter is brought on behalf of the beneficiaries pursuant to 42 Pa. C.S. § 8301 and Pa. R.C.P. § 2202.

8. Defendant Nippon Steel North America, Inc. ("Nippon Steel"), is a Texas corporation with registered address of 920 Memorial City Way, Suite 700, Houston, Texas 77024. At all times relevant hereto, Nippon Steel regularly conducted business in Allegheny County, Pennsylvania.

9. Defendant MPW Industrial Services, Inc. ("MPW"), is an Ohio Corporation licensed to do business in the Commonwealth of Pennsylvania located at 9711 Lancaster Road, Hebron, Ohio 43025. At all times relevant hereto, MPW regularly conducted business in Allegheny County, Pennsylvania.

10. Defendant Valves, Inc., is a Pennsylvania corporation with registered address in Allegheny County of 525 William Penn Place Pittsburgh, Pennsylvania 15219. At all times relevant hereto, Valves, Inc., regularly conducted business in Allegheny County, Pennsylvania.

11. At all times relevant hereto, Defendants Nippon Steel, MPW, and Valves, Inc., (collectively “Defendants”) acted by themselves and by and through their respective agents, servants, and employees, including actual and/or apparent agents.

JURISDICTION & VENUE

12. This Court has personal jurisdiction over Valves, Inc., under 42 Pa.C.S. § 5301(a)(2)(1) because this Defendant is incorporated under, a sovereign of, and/or domiciled in, Allegheny County, Pennsylvania and its tortious acts or omissions occurred in Allegheny County, Pennsylvania.

13. This Court has personal jurisdiction over Defendants Nippon Steel and MPW, under 42 Pa.C.S. § 5301(a)(2)(iii) and § 5322(a) because these companies carry on a systematic and continuous part of their general business in and the cause of action arose in the Commonwealth of Pennsylvania.

14. Venue is proper in the Court of Common Pleas of Allegheny County pursuant to Pa. R.C.P. 2179(a)(2) because all of the defendants regularly conduct business there and it is the location where the cause of action arose.

STATEMENT OF FACTS

I. U.S. Steel, the Clairton Coke Works Facility, and Coke Oven Gas

15. The Clairton Coke Works facility (“Clairton”), located in Clairton, Pennsylvania, is the largest metallurgical coke manufacturing facility in the Western Hemisphere, operating continuously since 1916.

16. Metallurgical coke production involves heating raw coal to approximately 2,000°F for a minimum of eighteen hours in oxygen-free coke ovens, driving off volatile compounds and leaving carbon-rich coke used as fuel in steel blast furnaces.

17. This heating process generates "coke oven gas," a highly flammable and toxic mixture consisting primarily of hydrogen (40-60%), methane (20-30%), nitrogen (3-15%), and carbon monoxide (3-6%).

18. Coke oven gas has a lower explosive limit of 4.4%, is less dense than air, and has an autoignition temperature of 1,065°F through its hydrogen component.

19. At Clairton, coke oven gas is collected, processed in a separate unit, and returned through underground high-pressure piping to the coke batteries to be burned as fuel—creating an integrated, but inherently hazardous closed-loop system throughout the facility.

20. Coke oven gas contains residues including tar-like substances and particulates that accumulate in piping and valve seats over time, creating operational problems and requiring periodic maintenance and flushing procedures.


II. The Battery 13/14 Configuration and the Fatal Design Flaw

21. At the time of the August 11, 2025 explosion that gives rise to this lawsuit, U.S. Steel operated six coke batteries at Clairton, including Batteries 13 and 14, which were originally constructed in the 1920s and rebuilt in 1989.

22. Between Batteries 13 and 14 existed the "Transfer Area," which housed critical operational facilities including: (a) two control rooms called "Reversing Rooms" where operators monitored and controlled the coking process during entire shifts; (b) a Break Room where workers took meal and rest breaks; (c) personnel shacks; and (d) staircase access to the battery tops.

23. Beneath Clairton's Transfer Area, in a confined space called the "basement," ran the high-pressure coke oven gas supply piping that fed processed gas to both batteries, including the Battery 13 gas isolation valve that is at issue in this case.

24. A cross section of Clairton's Batteries 13 and 14 is shown in this photograph:



25. The occupied Reversing Rooms and Break Room in the Transfer Area were located merely 10-20 feet directly above the high-pressure coke oven gas supply piping in the basement.

26. These buildings were ordinary industrial structures providing weather protection and workspace—not blast-resistant structures designed to withstand explosions.

27. This configuration violated fundamental facility siting principles codified in industry guidance from the Center for Chemical Process Safety ("CCPS") and the American Petroleum Institute ("API"), which require separation of occupied buildings from major process explosion hazards or, alternatively, blast-resistant construction to protect occupants.

III. The 1998-2018 Process Hazard Analyses: Ignored Warnings and Rejected Recommendations

28. The Occupational Safety and Health Administration's ("OSHA") Process Safety Management ("PSM") standard, 29 C.F.R. § 1910.119, requires comprehensive hazard analysis and facility siting evaluation for processes containing 10,000 or more pounds of flammable gas.

29. Between 1998 and 2018, U.S. Steel conducted five Process Hazard Analyses ("PHAs") of its Clairton coke oven gas system: in 1998, 2003, 2008, 2013, and 2018.

30. Documents from the 1998, 2003, and 2008 PHAs explicitly stated that facility siting—a required PSM element—was not considered by the PHA teams.

31. In 2003, the PHA team issued a specific written recommendation to site management urging U.S. Steel to conduct a facility siting study of the coke batteries to evaluate whether occupied buildings were appropriately located relative to explosion hazards.

32. Clairton management **rejected** the 2003 facility siting recommendation, providing written justification stating: "The [coke oven gas] system is not explicitly covered by OSHA's [PSM] regulation. Accordingly, elements of PSM are selectively applied to this system as deemed necessary and appropriate by Clairton Works management. Elements applied are considered adequate to ensure employee safety and operational integrity. Therefore, management does not consider it necessary to conduct the activities as recommended."

33. This rejection was based on U.S. Steel's interpretation that coke oven gas qualified for the PSM "fuels exemption," which excludes "hydrocarbon fuels used solely for workplace consumption as fuel."

34. U.S. Steel's interpretation was initially supported by OSHA's 1992 "King Letter," which stated that coke oven gas used as fuel, such as it is with Clairton's coke ovens, fell within the fuels exemption.

IV. The 2013 OSHA Wilkins Letter: Clarification that PSM Applies to Coke Oven Gas

35. On February 4, 2013, OSHA issued a Letter of Interpretation known as the "Wilkins Letter," which explicitly **rescinded** the 1992 King Letter and clarified that coke oven gas does **NOT** qualify for the above-described fuels exemption.

36. The Wilkins Letter stated that coke oven gas fails to meet the definition of "hydrocarbon," which OSHA defined as "an organic compound consisting exclusively of carbon and hydrogen."

37. Because coke oven gas contains significant quantities of nitrogen, carbon monoxide, and other non-hydrocarbon constituents, it cannot be considered a hydrocarbon fuel.

38. The Wilkins Letter unambiguously concluded that processes containing more than 10,000 pounds of coke oven gas (as did Clairton) are covered by the PSM standard and must comply with all PSM requirements, including facility siting evaluation.

39. Despite this clear 2013 regulatory clarification, U.S. Steel continued to maintain that its coke oven gas supply process was not covered by PSM and continued to apply PSM requirements only selectively as management deemed "necessary and appropriate."

40. U.S. Steel never conducted a comprehensive facility siting evaluation of the Clairton facility following the 2013 Wilkins Letter, despite twelve years of opportunity to do so before the fatal August 11, 2025 explosion.

41. The 2018 PHA, the final PHA conducted before the explosion, claimed that facility siting was addressed "qualitatively" and that "specific discussion relative to facility siting is documented throughout the [PHA] worksheets."

42. However, no substantive documentation of any actual facility siting analysis was provided, representing mere checkbox compliance without meaningful evaluation.

43. Throughout this entire period from 2003 through August 11, 2025, spanning twenty-two years, the physical layout of the Battery 13/14 area remained unchanged.

44. As such, workers, including the Decedent, Steven Menefee, continued to be stationed in the Reversing Rooms and Break Room located 10-20 feet directly above the high-pressure coke oven gas piping, completely unaware they were positioned atop a catastrophic explosion hazard that U.S. Steel had been repeatedly warned about and consistently refused to address.

V. Defendant Nippon Steel's Acquisition and Ratification of the "Blast Zone" Hazard

45. On December 16, 2023, Defendant Nippon Steel and U.S. Steel announced a definitive agreement whereby Defendant Nippon Steel would acquire all of U.S. Steel for approximately \$14.1 billion plus the assumption of debt representing a total enterprise value of \$14.9 billion.

46. In June 2025, two months **before** the August 11, 2025 explosion that resulted in the Decedent's death, Defendant Nippon Steel finalized its acquisition of United States Steel, making U.S. Steel a wholly owned subsidiary and bringing all U.S. Steel assets, including the Clairton Coke Works facility, under Defendant Nippon Steel's ownership and operational control.

47. As part of the standard pre-closing due diligence process required for an acquisition of this magnitude, Defendant Nippon Steel's executives, engineers, and legal counsel conducted comprehensive reviews of U.S. Steel's operations, assets, liabilities, and regulatory compliance status.

48. During this due diligence review, Defendant Nippon Steel took possession of and reviewed U.S. Steel's safety records for the Clairton facility, including the complete history of PHAs conducted from 1998 through 2018.

49. Specifically, Defendant Nippon Steel's due diligence team reviewed and took possession of the 2003 PHA documentation, which contained both the facility siting study recommendation and management's written rejection of that recommendation.

50. Defendant Nippon Steel's review revealed that U.S. Steel management had explicitly refused to conduct facility siting evaluation based on the rationale that the coke oven gas system was "not explicitly covered by OSHA's PSM regulation" and that PSM elements were being "selectively applied...as deemed necessary and appropriate by Clairton Works management."

51. Defendant Nippon Steel's legal and compliance personnel, conducting regulatory due diligence, were aware of or should have been aware of OSHA's 2013 Wilkins Letter, which had invalidated U.S. Steel's fuels exemption interpretation and established that coke oven gas systems are subject to full PSM compliance.

52. Defendant Nippon Steel therefore knew, or through the exercise of reasonable diligence should have known, that Clairton had been operating in violation of federal PSM requirements for twelve years since the 2013 Wilkins Letter, and that occupied buildings housing workers were improperly sited in close proximity to major explosion hazards without required evaluation or mitigation.

53. Defendant Nippon Steel's engineering and safety personnel, reviewing the facility layout and the proximity of the Reversing Rooms and Break Room to the high-pressure coke oven gas piping, knew or should have known that workers were positioned in what facility siting experts term a "Blast Zone"—the area subject to catastrophic overpressure and structural destruction in the event of a vapor cloud explosion.

54. Upon finalizing the acquisition, Defendant Nippon Steel did not remain a passive shareholder.

55. Instead, it affirmatively undertook the duty of operational oversight by integrating the Clairton facility into its global safety management structure.

56. Upon completing its acquisition in June 2025, Defendant Nippon Steel possessed absolute authority and operational control to order immediate corrective action, including: (a) implementing a comprehensive safety stand-down to conduct overdue facility siting evaluations; (b) temporarily shutting down operations at Battery 13/14 until occupied buildings could be relocated or retrofitted with blast-resistant construction; (c) immediately relocating workers from the Transfer Area buildings to temporary safe locations pending permanent solutions; or (d) implementing any combination of measures necessary to remove workers from imminent danger.

57. Industry standards and corporate governance principles applicable to acquiring companies require that when a purchaser discovers serious safety deficiencies during due diligence—particularly deficiencies involving imminent danger to human life—the acquiring company must take immediate corrective action upon assuming operational control, even if such action requires operational disruption or expense.

58. Defendant Nippon Steel made a conscious corporate decision not to exercise its authority to implement the above-described safety corrections.

59. Despite knowing that the Clairton facility was operating with occupied buildings improperly sited in blast zones, and despite knowing that required facility siting evaluations had been rejected for over twenty years, Defendant Nippon Steel authorized continued operations without interruption.

60. This decision constituted ratification of a dangerous condition.

61. By taking ownership of the facility with knowledge of the “Blast Zone” hazard, by possessing authority to order immediate correction, and by consciously deciding to maintain operations without implementing safety measures, Defendant Nippon Steel adopted U.S. Steel's prior negligence as its own and assumed direct responsibility for the consequences.

62. Defendant Nippon Steel's decision to continue operations in light of the above-described safety hazards was motivated by prioritization of revenue over worker safety.

63. Shutting down Battery 13/14 for facility siting evaluation and corrective construction would have required taking the batteries offline, disrupting coke production, reducing revenue, and incurring substantial capital expenditure for building relocation or blast-resistant construction.

64. Defendant Nippon Steel had the exclusive power to authorize the \$11 Billion in capital improvements.

65. By failing to immediately release emergency safety funds or make safety funding a condition of the closing, Defendant Nippon Steel effectively starved its U.S. management team of the resources needed to fix the “Blast Zone.”

66. Defendant Nippon Steel chose to avoid these costs and maintain revenue flow despite knowledge of imminent danger to workers.

67. This conduct by Defendant Nippon Steel constituted conscious disregard of known risks.

68. Defendant Nippon Steel was not ignorant of the hazard or reasonably mistaken about safety adequacy.

69. Defendant Nippon Steel possessed specific documentary evidence that facility siting evaluation had been recommended and rejected, possessed regulatory knowledge that PSM

compliance was required, and possessed engineering knowledge that workers were positioned in blast zones.

70. Defendant Nippon Steel's decision to authorize continued operations in the face of this knowledge demonstrated conscious disregard of risks to worker safety.

71. From June 2025 through August 11, 2025, a period of approximately two months during which Defendant Nippon Steel exercised complete operational control, the company took no action to address the facility siting hazard.

72. No facility siting evaluation was ordered and/or performed.

73. No temporary relocation of workers was implemented. No blast-resistant construction was initiated.

74. No operational restrictions were imposed to minimize worker exposure to imminent harm, unbeknownst to them.

75. The dangerous "Status Quo" continued unchanged under Defendant Nippon Steel's ownership.

76. But for Defendant Nippon Steel's refusal to exercise its power to shut down the unsafe facility immediately upon acquisition, the Battery 13/14 batteries would have been offline on August 11, 2025, conducting required overdue facility siting evaluation and necessary safety modifications.

77. The valve exercising operation that triggered the explosion would not have been performed.

78. Decedent, Steven Menefee, would not have been present in the area where the fatal explosion occurred.

79. The August 11, 2025 explosion, even if it had somehow occurred during shutdown operations, would not have killed or injured workers, including the Decedent, Steven Menefee, because they would have been relocated to safe locations pending completion of permanent facility siting corrections.

80. Defendant Nippon Steel's direct corporate negligence in ratifying and perpetuating the "Blast Zone" hazard was a substantial factor in causing Decedent, Steven Menefee's death.

81. Notwithstanding Defendant Nippon Steel's acquisition of U.S. Steel's assets, the employees of the Clairton plant, including the Decedent, Steven Menefee, remained employees of U.S. Steel and at least as of the time of the August 11, 2025 explosion received their paychecks from U.S. Steel.

VI. The 2013 Valve Refurbishment: Defendant Valves, Inc.'s Failure to Advise Against Continued Services

82. The Battery 13 gas isolation valve was an 18-inch cast iron double disc gate valve was originally fabricated by Chapman Valve Manufacturing Company in 1953, making it sixty years old at the time of refurbishment and seventy-two years old at the time of its catastrophic failure.

83. The valve body bore markings indicating a pressure rating of fifty pounds per square inch gauge ("psig"), a modest rating reflecting both the valve's age and the inherent limitations of cast iron as a pressure-containing material.

84. In 2013, U.S. Steel contracted with Defendant Valves, Inc., a specialized valve refurbishment company with expertise in valve materials, design, and service suitability, to perform the service of evaluating and refurbishing the Battery 13 gas isolation valve.

85. Cast iron is inherently brittle with limited ductility, tending to crack rather than deform under stress.

86. This brittleness becomes more pronounced with age as the material undergoes repeated thermal cycling, stress corrosion, and metallurgical degradation.

87. Cast iron is particularly susceptible to thermal shock—rapid temperature changes that can initiate cracks that propagate catastrophically through the brittle material.

88. In coke oven gas service, these material limitations are especially problematic due to: (a) exposure to hot gas from ovens operating at 2,000°F; (b) corrosive compounds and tar-like residues in coke oven gas that degrade sealing surfaces and attack valve body material; and (c) repeated thermal cycles during operational variations and maintenance shutdowns, contributing to cumulative material degradation.

89. When Defendant Valves, Inc. received the sixty-year-old cast iron valve for refurbishment in 2013, the valve had already operated for six decades in demanding service without prior documented major overhaul—an extraordinarily long service life for any valve, particularly one in such harsh conditions.

90. As a specialized valve refurbishment company, Defendant Valves, Inc. possessed superior technical expertise regarding valve materials, design limitations, suitability for specific service conditions, expected service life, and the risks of continuing to operate aged cast iron valves in high-consequence applications.

91. Defendant Valves, Inc.'s scope of work included replacing internal components such as disc, seat rings, packing, and stem, along with machining or lapping sealing surfaces to restore shutoff capability.

92. While these actions address wear of internals, refurbishing internal components cannot address fundamental limitations or degradation in the valve body material itself.

93. Defendant Valves, Inc. knew or should have known that a sixty-year-old cast iron valve body, regardless of how well internals could be refurbished, represented an unacceptable risk for continued service in a critical safety application like coke oven gas isolation where valve failure could result in catastrophic explosion and worker death.

94. Defendant Valves, Inc. owed a professional duty to advise U.S. Steel that while refurbishment was technically feasible, returning this aged cast iron valve to service was not recommended, and that replacement with a modern steel valve designed for the specific service conditions was the appropriate and necessary course of action.

95. Defendant Valves, Inc. negligently failed to provide this critical safety advice to U.S. Steel.

96. Defendant Valves, Inc. either failed to recognize the unsuitability of the aged cast iron valve for continued service—demonstrating incompetence in their specialized field—or recognized the risk, but failed to communicate it to U.S. Steel—demonstrating negligent omission of professional responsibility.

97. Defendant Valves, Inc.'s failure to advise against continued service was a substantial contributing factor to the valve remaining in operation for an additional twelve years until its catastrophic failure on August 11, 2025.

98. Had Defendant Valves, Inc. fulfilled its professional duty and recommended replacement rather than refurbishment, U.S. Steel would likely have installed a modern steel valve in 2013, and that steel valve would have remained in service without catastrophic failure when subjected to the August 11, 2025, exercising operation.

99. The material properties differentiating steel from cast iron are fundamental and well-established in engineering science: steel's tensile strength is 2-3 times higher than cast iron (60,000-70,000 psi versus 20,000-30,000 psi); steel's fracture toughness is approximately 10 times higher than cast iron; and critically, steel's ductility allows it to deform extensively before failure while cast iron fails suddenly by brittle fracture with no warning and no capacity for deformation.

100. These superior properties of steel are precisely why modern valve industry standards, including API Recommended Practice 600 for steel gate valves, specify steel construction for critical applications, and why cast iron valves are no longer manufactured for high-consequence service where failure could result in catastrophic release of hazardous materials, all information known or which should have been known by Defendant Valves, Inc.

VII. July 2025: The Cracked Valve Discovery and Planned Maintenance Outage

101. On July 8, 2025, a U.S. Steel employee identified a coke oven gas leak from a valve downstream of the Battery 13 gas isolation valve.

102. In fact, the valve was cracked near one of its flanges.

103. To replace the damaged valve, a maintenance outage was planned requiring closure of the Battery 13 gas isolation valve to isolate gas flow, purging of downstream piping, and opportunistic replacement of at least three additional valves during the same shutdown.

104. Defendant MPW was contracted to provide personnel and pumping equipment to assist in "exercising" the Battery 13 gas isolation valve, specifically requesting a pump to flush residue from the valve seat.

105. Defendant MPW is a specialized provider of industrial cleaning and support services, including the use of pressurized water for maintenance applications.

106. To this end, Defendant MPW markets itself as an expert in industrial solutions, contracting with major manufacturing facilities like Clairton to provide equipment and personnel for high-hazard tasks such as clearing obstructions in process piping.

VIII. August 11, 2025: The Accelerated Decision and Defendant MPW’s Involvement

107. On August 11, 2025, eight days before the planned August 19 outage, Defendant MPW decided to exercise the Battery 13 gas isolation valve immediately rather than waiting for the scheduled maintenance.

108. Defendant MPW mobilized three of its employees to Clairton with a positive displacement pump, hoses, and fittings, arriving at approximately 10:30 AM.

109. Defendant MPW did this without having participated in the July 28, 2025 hazard analysis meeting conducted by U.S. Steel.

110. Defendant MPW did this without obtaining a comprehensive briefing on the specific hazards of Clairton’s coke oven gas system.

111. Clairton’s written procedure for exercising battery gas isolation valves specifically allowed introduction of steam into the valve body to heat it prior to exercising, with maximum steam pressure of ten psig.

112. Clairton’s written procedure made no mention of water injection.

113. Despite the procedural specification for steam, Defendant MPW opted to use pressurized liquid water instead—a deviation from procedure that would prove catastrophic.

IX. The Hydrostatic “Bomb”: Defendant MPW’s Creation of Catastrophic Over-Pressurization

114. At approximately 10:30 AM on August 11, 2025, three of Defendant MPW employees gathered at the Battery 13 gas isolation valve in the confined basement space beneath the Battery 13/14 Transfer Area.

115. Each worker carried personal carbon monoxide monitors, and one carried a four-gas monitor to detect oxygen, carbon monoxide, hydrogen sulfide, and flammable gas—standard safety practice for work in areas where hazardous atmospheres might develop.

116. The Battery 13 gas isolation valve was actively in service with pressurized coke oven gas flowing through it to supply fuel to Battery 13's heating system.

117. At that time, Defendant MPW began pumping liquid water under pressure into the valve body through a cleanout port using a Butterworth brand water jetting system (Model Number TF-450MB, MPW Unit Number B130208), directing the water flow toward the valve seat to flush away accumulated residue. OSHA's subsequent investigation determined that Defendant MPW was operating this system at a water pressure of approximately 3,000 psi.

118. By choosing to utilize a positive displacement pump to flush the Battery 13 Gas Isolation Valve, Defendant MPW introduced a piece of equipment that operates on a fundamentally dangerous principle for this specific application: it forces a fixed volume of fluid into the discharge pipe with every rotation, regardless of the resistance it encountered.

119. Unlike centrifugal pumps, which simply "churn" fluid when blocked, a positive displacement pump has no internal limit on the pressure it generates; if the discharge path is closed, the pressure rises instantly and theoretically infinitely until the weakest component in the system ruptures.

120. When Defendant MPW connected this high-force pump to the closed, 50-psig-rated cast iron valve and injected water—an incompressible fluid—at approximately 3,000 psi, they subjected the seventy-two-year-old valve to forces approximately sixty times its design pressure rating, creating a "hydrostatic lock" that made catastrophic failure inevitable.

121. The Butterworth water jetting system used by Defendant MPW was not equipped with a pressure relief valve—a basic safety device that automatically vents pressure to prevent equipment failure when system pressure exceeds safe operating limits. Had Defendant MPW's equipment included a functioning pressure relief valve, the catastrophic over-pressurization of the valve body could have been prevented or mitigated. OSHA specifically cited Defendant MPW for operating the water jetting system without the ability to rapidly depressurize the system.

122. Because water cannot be compressed to accommodate the incoming volume, the internal pressure within the valve body spiked violently and immediately.

123. A worker of Defendant MPW observed water leaking from the valve's bonnet flange—a connection that should have been sealed under normal conditions—indicating that internal pressure had increased beyond design levels and was compromising valve integrity.

124. Notwithstanding this observation, Defendant MPW failed to immediately stop the water injection process.

125. This massive hydrostatic load overwhelmed the aged cast iron, causing the "bonnet flange leak" that workers observed as the bolts stretched, followed seconds later by the "fully circumferential crack" that split the valve body entirely open, as shown in this photograph:

Battery 13 gas isolation valve



126. By failing to recognize that their specific pump type would act as a hydraulic ram against the closed valve and stopping it when the valve began to fail, Defendant MPW turned a routine maintenance task into a mechanical demolition of a critical safety infrastructure.

127. Coincidental to the valve rupture, workers heard a distinct "pop" sound.

128. Pressurized coke oven gas rushed out through the failed valve at high velocity, rapidly filling the confined basement space and rising toward the occupied buildings 10-20 feet above.

129. Workers in the area could smell the impending characteristic sulfurous odor of coke oven gas.

130. The workers' gas detection monitors began alarming, indicating detection of flammable gas or carbon monoxide, demonstrating that coke oven gas was escaping from the valve system.

131. Recognizing the danger, all nearby workers were directed to evacuate the basement.

132. The released gas reached explosive concentration exceeding its 4.4% lower explosive limit and contacted an ignition source—likely one of the numerous hot surfaces present in the active coke works environment where ovens operated at 2,000°F and piping, equipment, and structural elements exceeded the 1,065°F autoignition temperature of hydrogen.

133. The August 11, 2025 explosion occurred at approximately 10:47 AM—less than one minute after the radio evacuation call.

134. The resulting explosion propagated through the confined basement with devastating force, generating a powerful pressure wave that radiated outward and upward, impacting the non-blast-resistant structures of the Battery 13/14 transfer area with catastrophic overpressure.

X. Steven Menefee’s Death and Destruction of the Transfer Area

135. At the time of the explosion, Decedent, Steven Menefee, was performing his assigned duties as a “Heater” at Clairton, where he is a frontline operator responsible for the heating system that keeps the coke ovens running by controlling the heat that is applied to the ovens so that coal is properly converted in coke, thereby placing him in close proximity to the failed isolation valve and explosion epicenter.

136. The explosion pressure wave traveled upward through the Transfer Area structure, demolishing the Transfer Area which houses the Reversing Rooms for Battery 13 and Battery 14, an ordinary industrial building which was never designed to withstand such an explosion, as demonstrated by the below photograph:




Figure 2. Surveillance images of the initial moments of the explosion, overlooking the top of Battery 14 and the Battery 13/14 transfer area. (Credit: U.S. Steel, annotated by CSB)

137. The Reversing Rooms for Battery 13 and Battery 14 failed catastrophically.

138. Walls collapsed, the roof was lifted and blown away, and structural elements disintegrated under the explosive overpressure.

139. Decedent, Steve Menefee, was consumed by the force of this explosion at close range, suffering *inter alia* fatal smoke inhalation and burn injuries.

140. Decedent, Steven Menefee's death was not instantaneous but rather due to catastrophic injuries consistent with being present at close range the above-described industrial vapor cloud explosion.

XI. OSHA's Post-Incident Investigation and Citations

141. Following the August 11, 2025 explosion, the United States Department of Labor's Occupational Safety and Health Administration ("OSHA") conducted a comprehensive investigation of the incident at the Clairton Coke Works facility, spanning from August 2025 through early February 2026.

142. On February 9, 2026, OSHA issued Citations and Notifications of Penalty to both U.S. Steel (Inspection Number 1843132) and MPW (Inspection Number 1843671), identifying

multiple serious violations of federal workplace safety standards directly related to the August 11, 2025 explosion that killed Decedent, Steven Menefee.

143. OSHA cited U.S. Steel for a total of ten (10) violations carrying proposed penalties of \$118,214.00. Seven of these violations were classified as “Serious,” meaning OSHA determined that the violations created a substantial probability of death or serious physical harm.

144. Specifically, OSHA found that U.S. Steel violated 29 C.F.R. § 1910.119(d)(2)(i)(C) by failing to include the maximum intended inventory of coke oven gas in the process technology information for the Underfire System, Foul Gas System, Chemical Processing System, and Down River System. OSHA determined that this failure “exposed employees working in and around the process to an explosion hazard when cryogenically-processed coke oven gas was released from 13 Pad Valve.”

145. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.119(e)(6) by failing to update and revalidate its Process Hazard Analysis of the Underfire Gas System at least every five years as required. The most recent revalidation had been conducted in November 2018, making it overdue by late 2023—nearly two years before the fatal explosion. OSHA’s citation of this violation independently confirms that the PSM standard applies to U.S. Steel’s coke oven gas system, directly contradicting U.S. Steel’s historical position that its coke oven gas process was exempt from PSM requirements.

146. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.119(f)(4) by failing to develop and implement safe work practices, including lockout/tagout procedures, for the control of chemical energy while employees cleaned the seat of the Battery 13 gas isolation valve with water when cryogenically-processed coke oven gas was present in the valve and Underfire lines.

147. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.119(j)(2) by failing to establish written procedures to maintain the ongoing integrity of the Battery 13 gas isolation valve—the very valve whose catastrophic failure caused the explosion that killed Decedent, Steven Menefee.

148. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.119(j)(3) by failing to train employees involved in maintaining the ongoing integrity of the Battery 13 gas isolation valve in the procedures applicable to washing the valve with water to ensure employees could perform the task safely.

149. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.147(c)(4)(ii) because its procedures for the control of hazardous energy did not clearly and specifically outline the scope, purpose, authorization, rules, and techniques to be used to control chemical energy when employees cleaned the valve seat while coke oven gas was present.

150. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.147(d)(3) by failing to ensure that energy isolating devices were operated in a manner to isolate the Battery 13 gas isolation valve from cryogenically-processed coke oven gas while employees cleaned the valve with water. OSHA further found that because of U.S. Steel's failure to isolate the valve, "the remaining applicable energy control elements involving LOTO device application, stored energy, and verification of isolation, were not implemented to safeguard employees."

151. OSHA found that U.S. Steel violated 29 C.F.R. § 1910.147(f)(2)(i) by failing to inform Defendant MPW of U.S. Steel's lockout/tagout procedures before Defendant MPW's employees engaged in cleaning the Battery 13 gas isolation valve with water while coke oven gas was present. This confirms that U.S. Steel sent Defendant MPW's workers into the hazardous operation without providing the safety information necessary to protect them.

152. OSHA additionally cited U.S. Steel for failing to provide OSHA inspectors with required incident reports within four business hours of the request. OSHA requested the OSHA Form 301 Incident Reports for the eight injuries resulting from the August 11, 2025 explosion on August 20, 2025. U.S. Steel did not provide these reports until February 5, 2026—more than five months after the request.

153. OSHA cited Defendant MPW for a total of eight violations carrying proposed penalties of \$61,473.00, including four “Serious” violations directly related to the August 11, 2025 explosion.

154. OSHA found that Defendant MPW violated the General Duty Clause of the OSHA Act, Section 5(a)(1), by exposing employees to struck-by and high-pressure injection hazards through the use of a Butterworth brand water jetting system (Model Number TF-450MB, MPW Unit Number B130208) that was not equipped with a pressure relief valve. OSHA found that Defendant MPW employees were “operating the high-pressure water jetting system without the ability to rapidly depressurize the system which can result in severe waterjet injuries.”

155. OSHA separately found that Defendant MPW violated the General Duty Clause by exposing employees to coke oven gas while using the same high-pressure water jetting system to flush the Battery 13 gas isolation valve. OSHA’s citation confirmed that Defendant MPW was operating the water jetting system at a water pressure of approximately 3,000 psi to flush the Chapman Valve Manufacturing Company brand 18-inch cast iron double gate valve (Model Number L58 1/2), which contained flammable coke oven gas. The 3,000 psi operating pressure was approximately sixty times the valve’s 50 psig pressure rating. OSHA found that “[t]he gate valve ruptured during this process causing an uncontrolled release of coke oven gas and a subsequent explosion.”

156. OSHA found that Defendant MPW violated four separate provisions of the permit-required confined space standard, 29 C.F.R. § 1910.146: (a) failing to identify and evaluate the hazards of the 13/14 pad valve pit before employees entered (29 C.F.R. § 1910.146(d)(2)); (b) failing to develop and implement the means, procedures, and practices necessary for safe permit space entry operations (29 C.F.R. § 1910.146(d)(3)); (c) failing to test conditions in the pit to determine if acceptable entry conditions existed before entry was authorized (29 C.F.R. § 1910.146(d)(5)(i)); and (d) failing to prepare an entry permit before entry was authorized (29 C.F.R. § 1910.146(e)(1)). The 13/14 pad valve pit had been classified by U.S. Steel as a permit-required confined space.

157. OSHA found that Defendant MPW violated 29 C.F.R. § 1910.147(f)(2)(i) by failing to inform U.S. Steel of Defendant MPW's lockout/tagout procedures before flushing the gate valve with high-pressure water. OSHA specifically noted that the gate valve "was not isolated or purged of flammable coke oven gas" and that it "split open during the flushing process which resulted in the uncontrolled release of coke oven gas and a subsequent explosion."

158. OSHA further cited Defendant MPW for failing to maintain written certification of permit-required confined space training for its employees, and for failing to certify that employee training related to Defendant MPW's Energy Control Program had been accomplished and was up to date.

COUNT I

Danielle Menefee, individually and as Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, Plaintiff v. Nippon Steel North America, Inc., Defendant
(Negligence – Survival)

159. Plaintiff incorporates all previous paragraphs of this Complaint as if set forth more fully herein.

160. The harm, injuries, death, and damages hereinafter set forth were a direct and proximate result of the negligent, careless, and reckless conduct of the Defendant Nippon Steel and its agents, employees or servants in some or all of the following ways:

- (a) In failing to require, as a condition of the acquisition, that U.S. Steel complete overdue facility siting evaluations and implement required mitigation measures before Defendant Nippon Steel assumed operational control in June 2025;
- (b) In failing to recognize during due diligence that OSHA's 2013 Wilkins Letter had invalidated U.S. Steel's fuels exemption interpretation and established that the Clairton facility had been operating in violation of mandatory PSM requirements for twelve years;
- (c) In failing to recognize that the 2003 PHA recommendation for facility siting study and management's written rejection thereof represented an unmitigated critical hazard requiring immediate remediation, not a resolved compliance matter;
- (d) In failing to order an immediate safety stand-down upon completing the acquisition in June 2025 to conduct overdue facility siting evaluations before authorizing continued operations at Battery 13/14;
- (e) In failing to exercise its absolute authority as owner to shut down Battery 13/14 operations temporarily pending completion of facility siting evaluation and implementation of required protective measures;
- (f) In failing to implement emergency temporary relocation of workers, including Decedent, Steven Menefee, from the Battery 13/14 Reversing Rooms and Break Room to safe locations outside the "Blast Zone" during the June-August 2025 period;
- (g) In failing to commission and complete comprehensive facility siting evaluation of the Battery 13/14 occupied buildings within the two-month window between acquisition (June 2025) and the fatal explosion (August 11, 2025);
- (h) In failing to retain qualified facility siting consultants with expertise in vapor cloud explosion consequence modeling to evaluate whether occupied buildings 10-20 feet above high-pressure coke oven gas piping provided adequate protection to workers;
- (i) In failing to perform explosion consequence modeling to quantify the overpressure that would impact the Reversing Rooms and Break Room in

the event of coke oven gas release and ignition in the basement directly below;

- (j) In failing to relocate the Battery 13/14 Reversing Rooms and Break Room to positions at safe distances from the coke oven gas piping, consistent with the hierarchy of controls in API Recommended Practices 752, 753, and 756;
- (k) In failing to design and construct blast-resistant control rooms to replace the existing non-blast-resistant Reversing Rooms when immediate relocation was not operationally feasible;
- (l) In failing to establish exclusion zones or administrative controls limiting worker presence in the Battery 13/14 Transfer Area buildings pending completion of facility siting evaluation and implementation of permanent protective measures;
- (m) In failing to identify the seventy-two-year-old cast iron Battery 13 gas isolation valve as a critical component requiring immediate replacement due to age, material brittleness, and high-consequence failure potential in an application where failure would release flammable gas in proximity to occupied buildings;
- (n) In failing to restrict or prohibit maintenance operations on aged cast iron valves, particularly operations involving thermal shock from water injection, pending replacement with suitable modern steel valves;
- (o) In failing to repudiate U.S. Steel's 2003 management decision rejecting the facility siting recommendation, and instead ratifying that dangerous decision by authorizing continued operations without conducting the evaluation that had been recommended twenty-two years earlier;
- (p) In failing to repudiate the configuration of occupied buildings positioned 10-20 feet above high-pressure flammable gas piping, and instead ratifying that blast zone configuration by assigning Decedent, Steven Menefee, and other workers to continue reporting to those buildings for their shifts;
- (q) In failing to prioritize worker safety over production continuity and short-term financial performance by authorizing continued operations at Battery 13/14 despite documented knowledge that workers were positioned in improperly-sited buildings subject to catastrophic explosion hazards;
- (r) In failing to allocate adequate capital budget and engineering resources to address the facility siting deficiencies as an urgent priority immediately

upon acquisition, instead deferring these expenditures to avoid operational disruption and maintain revenue flow;

- (s) In failing to warn Decedent, Steven Menefee, and other workers positioned in the Battery 13/14 Transfer Area that they were located in close proximity to high-pressure coke oven gas piping, that this configuration had never been evaluated through proper facility siting analysis, and that Defendant Nippon Steel had identified this as a potential safety deficiency during acquisition due diligence;
- (t) In failing to exercise the authority that only Defendant Nippon Steel possessed as parent company and owner to immediately shut down Battery 13/14 upon acquisition in June 2025, which failure directly caused the facility to be operational on August 11, 2025, directly caused Decedent, Steven Menefee, to be present in the improperly-sited buildings housed by the Transfer Area between Battery 13 and Battery 14, thereby directly caused his death when the foreseeable explosion occurred;
- (u) In failing to ensure that the Underfire Gas System Process Hazard Analysis was updated and revalidated within the five-year period required by 29 C.F.R. § 1910.119(e)(6), which revalidation was overdue by late 2023—before Defendant Nippon Steel completed its acquisition in June 2025—and which failure OSHA subsequently confirmed through its citation of U.S. Steel for this specific violation;
- (v) In failing to ensure, upon assuming operational control in June 2025, that the process technology information for the Clairton coke oven gas system included the maximum intended inventory of coke oven gas, as required by 29 C.F.R. § 1910.119(d)(2)(i)(C), which omission prevented adequate hazard evaluation and which OSHA subsequently confirmed through its citation of U.S. Steel;
- (w) In failing to ensure that U.S. Steel had developed and implemented safe work practices, including lockout/tagout procedures, for the control of chemical energy during maintenance operations on the Battery 13 gas isolation valve, as required by 29 C.F.R. § 1910.119(f)(4), which failure OSHA subsequently confirmed through its citation of U.S. Steel;
- (x) In failing to ensure that written procedures existed to maintain the ongoing integrity of the Battery 13 gas isolation valve, as required by 29 C.F.R. § 1910.119(j)(2), and in failing to ensure that employees were trained in proper valve maintenance procedures, as required by 29 C.F.R. § 1910.119(j)(3), which failures OSHA subsequently confirmed through its citations of U.S. Steel;

- (y) In failing to ensure that U.S. Steel informed outside contractors, including Defendant MPW, of U.S. Steel's lockout/tagout procedures before permitting those contractors to perform work on equipment containing coke oven gas, as required by 29 C.F.R. § 1910.147(f)(2)(i), which failure OSHA subsequently confirmed through its citation of U.S. Steel; and
- (z) In failing to ensure that U.S. Steel isolated the Battery 13 gas isolation valve from cryogenically-processed coke oven gas before authorizing maintenance work on the valve, as required by 29 C.F.R. § 1910.147(d)(3), thereby permitting Defendant MPW's employees and U.S. Steel's own employees, including Decedent, Steven Menefee, to work in proximity to a live coke oven gas system without any energy isolation safeguards.

161. As the direct and proximate result of Defendant Nippon Steel's negligent, careless, and reckless conduct as described herein, Decedent, Steven Menefee, suffered conscious fear, pain and suffering from the time he was notified to evacuate, through the time of the explosion and until the time of his death.

162. As a direct and proximate result of Defendant Nippon Steels's negligent conduct, as described herein, Danielle Menefee, as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, claims damages for the following:

- (a) The conscious pain, suffering, fear, and anxiety suffered by Decedent, Steven Menefee; and
- (b) The loss of earnings and economic loss to Decedent, Steven Menefee's Estate including, but not limited to, Decedent, Steven Menefee's total estimated future earning power less his cost of personal maintenance as a result of his death.

WHEREFORE, Plaintiff Danielle Menefee, individually and as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, claims compensatory damages of this Defendant in an amount in excess of the arbitration limits of this County, plus costs and interest.

COUNT II

**Danielle Menefee, individually and as Administratrix of the Estate of Steven C. Menefee
a/k/a Steven Menefee, Deceased, Plaintiff v. MPW Industrial Services, Inc., Defendant
(Negligence – Survival)**

163. Plaintiff incorporates all previous paragraphs of this Complaint as if set forth more fully herein.

164. The harm, injuries, death, and damages hereinafter set forth were a direct and proximate result of the negligent, careless, and reckless conduct of the Defendant MPW and its agents, employees or servants in some or all of the following ways:

- (a) In failing to pump steam into the Battery 13 gas isolation valve as specified in U.S. Steel's written procedure, and instead pumping liquid water in direct violation of the procedural requirement, thereby creating an extreme risk of valve rupture that the procedure was designed to prevent;
- (b) In failing to question or clarify with U.S. Steel supervisory personnel why liquid water was being used when the written procedure explicitly specified steam with a maximum pressure of 10 psig, before commencing the pumping operation;
- (c) In failing to recognize that substituting liquid water for steam would create an extreme risk of valve rupture and explosion;
- (d) In failing to insist on participating in the July 28, 2025 planning meeting for the Battery 13 maintenance outage, despite its critical role in providing valve flushing services that would directly interface with pressurized coke oven gas systems;
- (e) In failing to conduct an independent pre-job hazard analysis before mobilizing equipment and personnel to perform pressurized water injection into an active coke oven gas isolation valve;
- (f) In failing to request and review the complete written procedure for exercising battery gas isolation valves before arriving at the job site, thereby arriving without knowledge of the steam specification or the reasons for that specification;
- (g) In failing to obtain adequate information about the hazardous properties of coke oven gas—including its flammability (4.4% lower explosive limit), toxicity, composition (40-60% hydrogen), and autoignition temperature

(1,065°F)—before performing work that could cause catastrophic release of this material into the atmosphere;

- (h) In failing to understand that the Battery 13 gas isolation valve was the sole barrier preventing coke oven gas from flowing into downstream piping, and that catastrophic failure of this valve while in service would result in immediate massive release of flammable gas into the confined basement space;
- (i) In failing to recognize that the confined basement location where the Battery 13 isolation valve was positioned, combined with the presence of multiple occupied buildings 10-20 feet directly above, created a high-consequence scenario where valve failure would likely result in explosion, structural collapse, and worker deaths;
- (j) In failing to recognize, as industrial cleaning professionals with expertise in pressurized water applications, that introducing water into a pressurized system containing flammable gas presented unacceptable risks of pressure surge, equipment failure, and catastrophic release;
- (k) In failing to refuse to perform the requested water injection operation when its own professional judgment and expertise should have indicated that pumping water (rather than steam) into a seventy-two-year-old cast iron valve in active coke oven gas service was inherently unsafe;
- (l) In failing to stop the water injection operation immediately upon observing the first signs of valve distress—specifically when water was observed leaking from the bonnet flange and gas monitors began alarming;
- (m) In failing to bring steam generation equipment to the job site rather than liquid water pumping equipment, when the written procedure specified steam and when it, as an industrial services contractor, should have had the capability to provide the specified medium;
- (n) In failing to assign personnel to the August 11, 2025 operation who had specific training and experience in performing valve maintenance on coke oven gas systems, rather than treating this as a routine water pumping job comparable to general industrial cleaning tasks;
- (o) In failing to provide adequate pressure monitoring and control equipment that would have allowed it to precisely control injection pressure and immediately detect abnormal pressure conditions indicating valve distress or failure;
- (p) In failing to establish clear communication protocols with U.S. Steel personnel before commencing the operation, including agreement on stop-

work authority, emergency response procedures, and the specific observations or instrument readings that would trigger immediate work cessation;

- (q) In failing to verify that all personnel in the basement work area and in occupied buildings above understood the hazards of the operation, the signs of equipment distress or coke oven gas release, and the immediate actions to take if problems developed;
- (r) In failing to continuously monitor the four-gas detector readings during the water injection operation and to establish predetermined action levels that would trigger immediate cessation of pumping and evacuation, before gas concentrations reached explosive levels;
- (s) In failing to immediately shut down the positive displacement pump and close isolation valves on the water injection line at the first indication of gas release (when monitors alarmed), rather than continuing the operation or waiting for definitive instruction from U.S. Steel supervisors;
- (t) In using a Butterworth brand water jetting system (Model Number TF-450MB, MPW Unit Number B130208) to flush the Battery 13 gas isolation valve at a water pressure of approximately 3,000 psi—approximately sixty times the valve’s 50 psig design pressure rating—without recognizing that such extreme over pressurization of an aged cast iron valve would inevitably cause catastrophic failure;
- (u) In operating the Butterworth water jetting system without a pressure relief valve, thereby depriving Defendant MPW’s operators and all workers in the area of the single most critical safety device that could have prevented catastrophic over pressurization of the valve body and the resulting explosion;
- (v) In failing to comply with the manufacturer’s own guidance, as set forth in Butterworth Jetting Systems, Inc.’s General Information & Warranty Information documentation, which required that the “[p]rimary operator must have control of water pressure while the secondary operator observes from a safe distance,” and in failing to comply with ASTM E1575-12, Standard Practice for Pressure Cleaning and Cutting, referencing automatic shutoff and dump devices, and the WJTA Industry Best Practices for the Use of High Pressure Water Jetting Equipment (2021);
- (w) In entering the 13/14 pad valve pit—a space classified by U.S. Steel as a permit-required confined space—without identifying and evaluating the hazards of the space, without developing safe entry procedures, without testing atmospheric conditions, and without preparing an entry permit, all in violation of 29 C.F.R. § 1910.146;

- (x) In failing to certify that its employees who entered the 13/14 pad valve pit had completed permit-required confined space training, and in failing to certify that its employees who participated in the valve flushing operation had completed training related to Defendant MPW's Energy Control Program; and
- (y) In failing to inform U.S. Steel of Defendant MPW's lockout/tagout procedures before flushing the gate valve, which was not isolated or purged of flammable coke oven gas, thereby ensuring that neither employer implemented adequate energy control measures to protect workers from the hazards of the operation.

165. As the direct and proximate result of Defendant MPW's negligent, careless, and reckless conduct as described herein, Decedent, Steven Menefee, suffered conscious fear, pain and suffering from the time he was notified to evacuate, through the time of the explosion and until the time of his death.

166. As a direct and proximate result of Defendant MPW's negligent conduct, as described herein, Danielle Menefee, as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, claims damages for the following:

- (a) The conscious pain, suffering, fear, and anxiety suffered by Decedent, Steven Menefee;
- (b) The loss of earnings and economic loss to Decedent, Steven Menefee's Estate including, but not limited to, Decedent's total estimated future earning power less his cost of personal maintenance as a result of his death.

WHEREFORE, Plaintiff Danielle Menefee, individually and as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, claims compensatory damages of this Defendant in an amount in excess of the arbitration limits of this County, plus costs and interest.

COUNT III
Danielle Menefee, individually and as Administratrix of the Estate of Steven C. Menefee
a/k/a Steven Menefee, Deceased, Plaintiff v. Valves, Inc., Defendant
(Negligence – Survival)

167. Plaintiff incorporates all previous paragraphs of this Complaint as if set forth more fully herein.

168. The harm, injuries, death, and damages hereinafter set forth were a direct and proximate result of the negligent, careless, and reckless conduct of the Defendant Valves, Inc., and its agents, employees or servants in some or all of the following ways:

- (a) In failing to recognize and advise U.S. Steel in 2013 that a sixty-year-old cast iron valve was inherently unsuitable for continued service in a critical coke oven gas isolation application where catastrophic failure would result in explosive release and worker deaths, regardless of how well internal components could be refurbished;
- (b) In failing to recognize that cast iron's inherent brittleness, susceptibility to thermal shock, and tendency to crack under stress—particularly after sixty years of thermal cycling, corrosive exposure, and metallurgical degradation in demanding coke oven gas service—rendered the valve body unsafe for continued use even if internal components were restored;
- (c) In failing to perform or recommend non-destructive testing of the sixty-year-old cast iron valve body to identify microcracks, stress corrosion, material embrittlement, or other structural defects that would render the valve unsafe for continued service, before making any recommendation about refurbishment versus replacement;
- (d) In failing to inquire about and evaluate the specific service conditions (coke oven gas composition, operating temperatures up to 2,000°F, thermal cycling, corrosive residues) and the high-consequence nature of this application (valve located 10-20 feet below occupied buildings) before determining whether refurbishment was appropriate;
- (e) In failing to advise U.S. Steel explicitly and in writing that professional engineering standards and industry best practices required replacement rather than refurbishment of sixty-year-old cast iron valves in critical safety applications, and that modern steel valves designed for coke oven gas service were the appropriate and necessary solution;

- (f) In failing to refuse to perform the refurbishment and instead provide U.S. Steel with a clear written recommendation stating: "This valve should **NOT** be returned to service due to age and material limitations. Replacement with a modern steel valve is required to ensure worker safety;"
- (g) In failing to recognize and communicate that refurbishing internal components addresses only wear and functionality but cannot remedy the fundamental problem of a sixty-year-old brittle cast iron pressure vessel that has reached the end of its safe service life and presents unacceptable risk of catastrophic failure;
- (h) In failing to recognize that returning the refurbished valve to service would create a false sense of security—the valve would operate properly initially, masking the reality that the aged cast iron body was a brittle time bomb waiting for thermal shock or pressure surge to trigger catastrophic circumferential cracking;
- (i) In failing to provide written documentation with the refurbished valve clearly stating the limitations of refurbishment, the age and material concerns, the fact that the valve body was not evaluated or upgraded, the risks of catastrophic failure, and the explicit recommendation that the valve be replaced rather than returned to service; and
- (j) In refusing to perform the requested services if U.S. Steel insisted on refurbishing the above-described cast iron valve instead of replacing it with a steel valve.

169. As the direct and proximate result of Defendant Valves, Inc.'s negligent, careless, and reckless conduct as described herein, Decedent, Steven Menefee, suffered conscious fear, pain and suffering from the time he was notified to evacuate, through the time of the explosion and until the time of his death.

170. As a direct and proximate result of Defendant Valves, Inc.'s negligent conduct, as described herein, Danielle Menefee, as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, claims damages for the following:

- (a) The conscious pain, suffering, fear, and anxiety suffered by Decedent, Steven Menefee; and

- (b) The loss of earnings and economic loss to Decedent, Steven Menefee's Estate including, but not limited to, Decedent's total estimated future earning power less his cost of personal maintenance as a result of his death.

WHEREFORE, Plaintiff Danielle Menefee, individually and as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, claims compensatory damages of this Defendant in an amount in excess of the arbitration limits of this County, plus costs and interest.

COUNT IV

Danielle Menefee, individually and as Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, Plaintiff v. Nippon Steel North America, Inc.; MPW Industrial Services, Inc.; and Valves, Inc., Defendants
(Negligence – Wrongful Death)

171. Plaintiff incorporates all preceding paragraphs as if set forth more fully herein.

172. As a direct and proximate result of the negligent conduct of the Defendants respectively, as described herein, Decedent, Steven Menefee, died prematurely and painfully.

173. As a direct and proximate result of the negligent conduct of the Defendants respectively, Decedent, Steven Menefee's wrongful death beneficiaries, have suffered the following damages:


- (a) They have lost and forever been denied the love, companionship, comfort, society, assistance, and support of their husband and father; and
- (b) They have incurred expenses for Decedent, Steven Menefee's funeral, burial, and Estate administration.

WHEREFORE, Plaintiff Danielle Menefee, individually and as the Administratrix of the Estate of Steven C. Menefee a/k/a Steven Menefee, Deceased, claims compensatory damages of

these Defendants, jointly and severally, in an amount in excess of the arbitration limits of this County, plus costs and interest.

Respectfully submitted,

FRISCHMAN & RIZZA, P.C.



Bernard R. Rizza, Esquire
Craig E. Frischman, Esquire
William D. Snow, Esquire
7300 Penn Avenue
Pittsburgh, Pennsylvania 15208
(412) 247-7300

Attorneys for Plaintiff

JURY TRIAL DEMANDED

**Commonwealth of Pennsylvania - Short Certificate
County of Westmoreland**



I, **Jonathon A. Wian**, Register for the Probate of Wills and Granting Letters of Administration in and for Westmoreland County, do hereby certify that on September 25, 2025, LETTERS OF ADMINISTRATION in common form were granted by the Register of said County, on the estate of

STEVEN C. MENEFE, AKA: STEVEN MENEFE late of EAST HUNTINGDON TOWNSHIP in said county, deceased, to DANIELLE MENEFE and that same has not since been revoked.

IN TESTIMONY WHEREOF, I have here unto set my hand and affixed the seal of said office at WESTMORELAND, PENNSYLVANIA, on September 25, 2025.

File No: 6525-2254
Date of Death : August 11, 2025
S.S. #: 208-58-0572

Jonathon A. Wian

Register of Wills

Jonathon A. Wian
Register of Wills & Clerk of Orphans' Court
My Commission Expires First Monday, January, 2026.


NOT VALID WITHOUT OFFICIAL SIGNATURE AND SEAL OF OFFICE

EXHIBIT "A"

VERIFICATION

I, **Danielle Menefee**, have read the foregoing. The averments contained therein are, insofar as they are derived from my own knowledge, true and correct to the best of my knowledge, information and belief, and insofar as they are derived from others, such facts are believed to be true and correct.

This statement and verification is made subject to the penalties of 18 Pa.C.S.A. Section 4904, relating to unsworn falsification to authorities, which statute provides that false statements are subject to criminal penalties.



Danielle Menefee

**IN THE COURT OF COMMON PLEAS OF ALLEGHENY COUNTY,
PENNSYLVANIA**

DANIELLE MENEFEE, individually and as)
Administratrix of the Estate of)
STEVEN C. MENEFEE a/k/a)
STEVEN MENEFEE, DECEASED,)

Plaintiff,)

v.)

CIVIL DIVISION

NIPPON STEEL NORTH AMERICA, INC.;)
MPW INDUSTRIAL SERVICES, INC.;)
and VALVES, INC.,)

Defendants.)

CERTIFICATE OF COMPLIANCE

I certify that this filing complies with the provisions of the *Public Access Policy of the Unified Judicial System of Pennsylvania: Case Records of the Appellate and Trial Courts* that require filing confidential information and documents differently than non-confidential information and documents.

Submitted by: Plaintiff Danielle Menefee, individually and as
Administratrix of the Estate of Steven C. Menefee
a/k/a Steven Menefee, Deceased

Signature:  _____

Name: Craig E. Frischman, Esquire

Attorney No. (if applicable): 46603